

To: Andrew Lee[ALee@aqmd.gov]; Rios, Gerardo[Rios.Gerardo@epa.gov]; Salazar, Matt[Salazar.Matt@epa.gov]; BECKHAM, LISA[BECKHAM.LISA@EPA.GOV]; Spiegelman, Nina[Spiegelman.Nina@epa.gov]; Christenson, Kara[Christenson.Kara@epa.gov]
Cc: Jill Whynot[JWhynot@aqmd.gov]; Laki Tisopulos[LTisopulos@aqmd.gov]; Amir Dejbakhsh[adejbakhsh@aqmd.gov]; Charles Tupac[ctupac@aqmd.gov]; Thomas Liebel[TLiebel@aqmd.gov]; Bayron Gilchrist[bgilchrist@aqmd.gov]
From: Harvey, Lornette
Sent: Fri 12/23/2016 7:11:42 PM
Subject: RE: Exide: NESHAP Determination Re- Title V

Hello Andrew,

I don't have a timeline yet on when EPA will complete the applicability request determination submitted by Exide. EPA will meet to discuss the issue sometime in January, everyone is on leave for the holidays right now, and once we meet I'll have a better idea of when the applicability determination will be completed. Meanwhile, if you have any questions, please call me at 415-972-3498, or submit an email. Thank you and I'll talk to you soon.

Lornette Harvey

Air Permits Office (AIR-3)

U.S. Environmental Protection Agency, Region 9

75 Hawthorne Street

San Francisco, CA 94105

(415) 972-3498 (phone) / (415) 947-3579 (fax)

Harvey.lornette@epa.gov

From: Andrew Lee [mailto:ALee@aqmd.gov]
Sent: Wednesday, December 21, 2016 4:07 PM
To: Harvey, Lornette <Harvey.Lornette@epa.gov>
Cc: Jill Whynot <JWhynot@aqmd.gov>; Laki Tisopulos <LTisopulos@aqmd.gov>; Amir Dejbakhsh <adejbakhsh@aqmd.gov>; Charles Tupac <ctupac@aqmd.gov>; Thomas Liebel <TLiebel@aqmd.gov>; Bayron Gilchrist <bgilchrist@aqmd.gov>
Subject: FW: Exide: NESHAP Determination Re- Title V

Good afternoon Lornette,

I had received a copy of the email sent to you last Thursday, Dec. 15, from Exide regarding their request to USEPA regarding the applicability of NESHAP, 40CFR 63, Subpart X – National Emission Standards for Hazardous Air Pollutants from Secondary Lead Smelters. Additionally, the facility is going through a Title V Renewal (facility is a major source of NOx), along with inclusion of a Rule 1420.1 Closure Plan, addition of a HEPA Vacuum Sweeper, and removal of equipment no longer operational at the facility (removal of reverberatory furnace, blast furnace, refining kettles, etc.) that we wish to expedite to ensure an expeditious closure of the facility. In an effort to help move the Title V Renewal along we would like to offer our assistance to you if you would like for our compliance/engineering staff to verify removal of equipment or appurtenances that would affect the applicability of the NESHAP.

Lastly, if possible, is there a timeline that you may share with us regarding when USEPA's decision on the applicability of the NESHAP, 40CFR63, Subpart X will be made?

Best regards and have a Merry Christmas and Happy New Year's!

Andrew

From: HOGARTH, John (Los Angeles) [<mailto:John.Hogarth@na.exide.com>]

Sent: Thursday, December 15, 2016 6:43 PM

To: harvey.lornette@epa.gov

Cc: Andrew Lee <ALee@aqmd.gov>; Laki Tisopulos <LTisopulos@aqmd.gov>; HOGARTH, John (Los Angeles) <John.Hogarth@na.exide.com>

Subject: Exide: NESHAP Determination Re- Title V

Dear Ms Harvey,

Attached please find a letter and exhibits regarding Exide's request for an applicability determination under the NESHAP.

We are also sending this by US mail.

Best Regards --

John S Hogarth

Plant Manager

Exide Technologies

2700 Indiana Street,

Vernon, CA. 90058.

Office: (323) 262-1101 x275

Mobile: (323) 395-6130

Fax: (323) 262-7080

This message (including any attachments) may contain protected information and is intended only for the individual(s) named. If you are not a named addressee you should not disseminate, distribute or copy this e-mail. If you have received this e-mail in error, please notify sender by e-mail and delete this e-mail.